# This Page Is Inserted by IFW Operations and is not a part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

#### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



"\*(R)- or (S)-coolignmenion

wherein

 $R^1, R^2$  and  $R^3$  are each independently of the others an aliphatic hydrocarbon radical having from 7 to 21 carbon atoms,

n is 0 or 1,

As is the amidically bonded residue of a (D)- or (L)amino acid or of a (D)- or (L)-amino acid derivative from the group consisting of Gly, Ala, Ser, Thr, Asp, Asp(R5), Glu, Glu(R5), Gla, Gla(R5) and  $Gla(\mathbb{R}^5)_2$ , and

R4 and R5 are each independently of the other the amidically bonded radical of an unsubstituted or carboxy-substituted &-amino-C2-C3alkanesulfonic acid.





Figure 2


JBT3002,  $C_{55}H_{102}N_4O_{14}S_3Na_2$  (1185.6)



**7**.








7,

Figure 4












Figure 5











rigure le






Figure 7







Figure 8










Figure 10








Figure 11

•


















::









Treatment of monocytes










F. 5, me 18





Tigue 19




COPY

CCAFDENTIAL


PBS followed by CP1411

Oral MTP-PL followed by CPT






# COPY CONFDENTIAL





### ILEUM



Fi3 22.



## IL-15 RT-PCR

	Control	CPT-11	JBT 3002	JBT 3002/CPT-11
lleum				
	1.0	0.1	1.1	1.8
	Medium	IFN-gamma	LPS	JBT 3002
PEM				
	1.0	2.4	7.1	4.2
IEC6	•			
	1.0	1.1	1.0	1.0